

# Laykold®

ADVANTAGE



NETBALL  
BASKETBALL

ADVANCING  
SPORTS SURFACES  
[WWW.APTASIAPACIFIC.COM.AU](http://WWW.APTASIAPACIFIC.COM.AU)



**APT** ADVANCED  
POLYMER  
TECHNOLOGY

# LAYKOLD ADVANTAGE

## DESIGNED FOR NETBALL AND BASKETBALL

For netball and basketball players to remain healthy whilst achieving peak performance, their bodies need three key factors from a surface. Non slip surface, force reduction and energy return.

In simple terms, your chosen netball court doesn't just need to be non slip. It also needs to absorb the force and return the energy to the athlete during competition or practice.

APT's cushioned systems offer up to 20% impact protection. A cushioned system is like an elastic surface, this elasticity absorbs the vertical and horizontal force delivered by the athlete. Not only do our systems absorb the force but they also return that energy to the athlete, thereby reducing fatigue and strain on the joints and muscles which improves recovery time and performance. The improved coatings provide high slip resistant properties which help prevent injuries from falls, slipping and jarring of joints.



ALL WEATHER



OFFERING SUPERIOR SLIP RESISTANCE



PLAY WITH CONFIDENCE



UV STABLE STANDARD AND CUSTOM COLOURS



COOLER TO PLAY ON THAN BARE ASPHALT OR CONCRETE



HIGH FORCE REDUCTION (FR) TO GREATLY REDUCE TISSUE DAMAGE AND SPORTS RELATED INJURIES



HIGH ENERGY RESTITUTION (ER) TECHNOLOGY TO PLAY LONGER AND REDUCE RECOVERY TIMES



TECHNOLOGY TO BRIDGE CRACKS AND MOVING SUBSTRATES



GREEN CHEMISTRY – OVER 60% MADE FROM RAPIDLY RENEWABLE RESOURCES

LAYKOLD ADVANTAGE GEL	Superior performance cushion with advanced energy return properties
LAYKOLD ADVANTAGE FLOAT	Premium cushion with crack bridging capabilities
LAYKOLD ADVANTAGE 5	Performance mat laid cushion system
LAYKOLD ADVANTAGE CUSHION PLUS	High performing, layered cushion system
LAYKOLD ADVANTAGE	Hard court

**Laykold® Advantage** is manufactured in our ISO9001 certified factory in Melbourne Victoria. APT Asia Pacific is a global leader in the development and manufacture of innovative, high performance and environmentally friendly sports and recreational surfacing systems. The complete range includes synthetic grass for every application as well as polyurethane-based surfaces for running tracks, indoor gymnasium flooring and children's playgrounds.

Please note our Laykold Advantage Gel systems can only be installed by a select group of trained and approved professional installers, geographically located throughout Asia Pacific.





### The revolutionary cushion court system

- Slip resistant factory textured surface
- Made from rapidly renewable resources
- Permanent 3mm cushion surface
- Up to 17% force reduction
- Superior energy return properties reducing athlete fatigue
- Advanced biomechanical properties reducing tissue damage
- 5 year warranty



### LAYKOLD ADVANTAGE GEL

Laykold Advantage Gel is the most advanced cushioned system to date that delivers up to 17% force reduction. Laykold Advantage Gel surfaces provide athletes of all ages, sizes, and ability with a superior playing experience and high performance properties. Using green chemistry, the Advantage Gel is made up from over 60% rapidly renewable resources. More comfortable, higher force reduction, improved energy return and guaranteed to perform better than any cushioned surface available on the market today.

### The premium cutting edge court system

- Slip resistant factory textured surface
- Designed for cracked and moving concrete or asphalt substrates
- Permanent 8mm cushion surface
- Offers 20% force reduction
- Premium energy return properties reducing fatigue
- Premium biomechanical properties reducing tissue damage
- 5 year warranty



### LAYKOLD ADVANTAGE FLOAT

Laykold Advantage Float is a premium cutting-edge polyurethane/rubber/acrylic composite court system. The custom made pre-fabricated rubber shock pad is designed to float and bridge cracked and moving substrates. This system offers high force reduction that also reduces injuries and fatigue.

### The high performing composite court system

- Slip resistant factory textured surface
- Permanent 5mm cushion surface
- Offers 14% force reduction
- Performance energy return properties reducing fatigue
- Performance biomechanical properties reducing tissue damage
- 5 year warranty



### LAYKOLD ADVANTAGE 5

Laykold Advantage 5 is a high performance cutting-edge polyurethane/rubber/acrylic composite court system. The custom pre-fabricated shockpad is designed for advanced player comfort with performance based cushioning benefits reducing injuries and fatigue.

### The multi layered cushioned system

- Slip resistant factory textured surface
- Permanent 5mm cushion surface
- Offers up to 10% force reduction
- Performance energy return properties reducing fatigue
- Performance biomechanical properties reducing tissue damage
- 5 year warranty



### LAYKOLD ADVANTAGE CUSHION PLUS

Laykold Advantage Cushion Plus is a high performing multi-layered cushion system, suitable for all sports and athletes ranging from community level to professional.

### The original hard court

- Slip resistant factory textured surface
- Wide range of UV stable top coats
- Custom colours available
- Environmentally friendly, no solvents or heavy metals
- 5 year warranty



### LAYKOLD ADVANTAGE

Laykold Advantage system is a high performance multi-layered acrylic system with a hard wearing and long lasting, slip resistant surface. This specially designed surface is also cooler and better to play on than bare asphalt or concrete.

# Laykold®

## PRODUCT FEATURES

	LAYKOLD ADVANTAGE	LAYKOLD ADVANTAGE CUSHION PLUS	LAYKOLD ADVANTAGE 5	LAYKOLD ADVANTAGE FLOAT	LAYKOLD ADVANTAGE GEL
 UV stable colours	■	■	■	■	■
 Slip resistant, injury reduction	■	■	■	■	■
 Long lasting, recoatable	■	■	■	■	■
 Glare resistant	■	■	■	■	■
 Environmentally friendly No heavy metals or solvents	■	■	■	■	■
 Factory textured topcoat	■	■	■	■	■
 Cushioned system		■	■	■	■
 Designed to bridge existing substrate cracks or moving substrates				■	
 Recycled Content		■	■	■	■
 Renewable Resources					■

**APT** ADVANCED  
POLYMER  
TECHNOLOGY

**AUSTRALIA 1800 652 548**

Factory 3, Dunlopillo Dr. Dandenong South,  
VIC 3175 Australia  
info@aptasiapacific.com.au

[www.aptasiapacific.com.au](http://www.aptasiapacific.com.au)



**AUSTRALIA | ASIA | EUROPE | NEW ZEALAND | USA**

## GUIDELINES FOR THE CARE AND MAINTENANCE OF YOUR NETBALL COURT

To maintain the appearance and playing characteristics of your Laykold Acrylic Court System, minimal but regular maintenance of the surface is required. Generally sweeping debris off the surface with a bristle broom and hosing down with domestic quality water will keep your court in good condition.

**DIRT CONTAMINATION:** We recommend that any localised dirt contamination be swept or washed off the court surface as it occurs. In situations where windblown dirt/dust is an ongoing problem, then regular washing down of the court surface on a monthly basis is recommended.

**MOULD GROWTH & TREE/PLANT CONTAMINATION:** Careful use of diluted solutions of industrial grade detergents to remove resinous contamination, may be necessary. Before using a product ensure that it will not damage the surface by undertaking a small test area first. Always thoroughly wet down the Laykold Surface before applying detergent solutions, and wash off the solutions before they dry out on the surface.

Note: Do not use powdered calcium hypochlorite solution as this will leave a white deposit on the surface after drying.

**FOOD/DRINK CONTAMINATION:** Immediate washing of the surface is recommended. If staining has occurred, then the same cleaning methods suggested for mould/plant contamination is recommended. Solvent based products, solvent thinners or similar products are NOT to be used on the Laykold surface.

Scoring type products such as Ajax powder/liquid or similar are NOT recommended for use on Laykold surfaces.

**FRUIT BAT DROPPINGS:** These will cause degradation of the Laykold surface. They should be immediately removed by mechanically scraping them off or by water blasting.

In severe cases they will cause blistering and peeling, not only of the Laykold surface, but also of the asphalt base to a depth of 3-6mm. In these cases contact us for full maintenance guide.

**BIRD/WILDLIFE CONTAMINATION:** This can usually be removed with a weak detergent solution, a stiff bristle brush and plenty of tap water.

**SHOE MARKS:** Black scuff marks can generally removed with a detergent solution and a stiff bristle brush. Some rubber scuff marks can be quite difficult to remove when they are fresh, weathering will usually allow their removal some time later. Prevention is obviously the better method.

**CHEWING GUM CONTAMINATION:** It is very difficult to remove gum from the court surface. Mechanical scraping of the gum is all that we can recommend.

**GREASE/OIL STAINS:** Detergent solutions are the recommended method of removal. It may require several applications to remove grease and oil contamination. Thoroughly wash down the surface after the application of the detergent solution.

**For further information please refer to our website**  
[www.aptasiapacific.com.au](http://www.aptasiapacific.com.au)